

Airworthiness Directive Schedule

Helicopters

Airbus Helicopters EC 155 and AS 365 / SA 365 Series

30 October 2025

- Notes:**
1. This AD schedule is applicable to Airbus Helicopters EC 155 B, EC 155 B1, AS 365 N2, AS 365 N3, SA 365 C1, SA 365 C2, SA 365 C3, SA 365 N and SA 365 N1, manufactured under EASA Type Certificate No. R.105.
 2. The European Union Aviation Safety Agency (EASA) is the National Airworthiness Authority (NAA) responsible for the issue of State of Design Airworthiness Directives (ADs) for these helicopters.

State of Design ADs can be obtained directly from the EASA website at:
<http://ad.easa.europa.eu/>
 3. The ADs in this schedule are aligned with those applicable ADs issued by Direction générale de l'Aviation civile (DGAC) and European Union Aviation Safety Agency (EASA).
 4. The date above indicates the amendment date of this schedule.
 5. New or amended ADs are shown with an asterisk *

Contents

F-1979-102-002	TRGB Tripod Mount P/N 360 - Inspection.....	6
F-1979-135-003	Spherical Thrust Bearings SEP P/N 704A.33.633.27 or 30 - Inspection.....	6
F-1979-190-004	Main Rotor Head Control System - Inspection	6
F-1979-211-005	Magnetic Plug, Engine Reduction Rear & Engine Oil Pressure - Inspection.....	6
F-1979-253-006	Magnetic Plug with Warning System - Inspection	6
F-1980-164-007	Magnetic Plug on Engine Oil System with Warning Installation - Inspection.....	7
F-1981-066-010	Long Sliders on Pilot and Co-pilots Seats - Inspection.....	7
F-1982-080-012	Horizontal Stabilizers - Inspection	7
F-1982-136-014R1	System for Holding the Horizontal Stabilizer Flanges - Inspection.....	7
F-1982-166-001	Unusable Fuel - Inspection	7
F-1983-012-002	Fire Extinguishing System Pipes - Inspection	8
F-1983-013-015	Life Time Reduction for Rotor Drive Element - Inspection	8
F-1983-038-016R1	System for Holding the Horizontal Stabilizers Flanges - Inspection	8
F-1983-077-003	Flight Controls, Roll Lever & 9 Deg Frame Cover - Inspection.....	8
F-1983-182-017	Flexible Coupling - Reduced Service Life	8
F-1983-183-004	Flexible Coupling - Reduced Service Life	9
F-1983-186-018	MGB modified to AMS 07-7149 (Relocation of Drain Plug) - Inspection	9
F-1983-200-019	Rotating Fairings and the Tail Rotor Hub Body - Inspection	9
F-1983-201-005	Rotating Fairings and the Tail Rotor Hub Body - Inspection	9
F-1983-203-020	Main Rotor Head Fairing Supports - Inspection	9
F-1984-019-021R2	Main Rotor Mast Shaft - Inspection.....	10
F-1984-020-006R2	Main Rotor Mast Shaft - Inspection.....	10
F-1984-151-023	Tail Rotor Drive Shaft Bearing Block Assembly N1 - Inspection	10
F-1984-152-008	Tail Rotor Drive Shaft Bearing Block Assembly N1 - Inspection	10
F-1985-013-009R1	Wire Antenna Installation for HF SSB Radio - Inspection	10
F-1985-037-010	Locking of Rear Sidegate - Inspection	11
F-1985-085-012	Engine Fire Extinguisher System - Inspection.....	11
F-1985-155-024	Tail Rotor Gearbox, Oil Filler Cap - Inspection.....	11
F-1985-156-013	Tail Rotor Gearbox, Oil Filler Cap - Inspection.....	11
F-1986-017-014	Fuel Filter - Inspection.....	11

F-1986-033-025R1	Main Rotor Head, Roving Sleeve Beams - Inspection	12
F-1986-034-015R2	Main Rotor Head, Roving Sleeve Beams - Inspection	12
F-1986-087-016R2	Interference with Flight Controls - Inspection	12
F-1986-122-026	BLU Wire Antenna - Inspection.....	12
F-1986-123-017R1	Main Rotor Shaft - Inspection.....	12
F-1986-170-019	Spherical Thrust Bearing/Attach Beams Bolt - Reduction of Life Limit.....	13
F-1986-175-018	Hydraulic System - Inspection.....	13
F-1986-176-027	Hydraulic System - Inspection.....	13
F-1987-008-028	Interference of Fuel Flow Control with Engine Fuel pipe - Inspection	13
F-1987-009-020R1	Power Plant Embodied with TURBOMECA Modification - Inspection	13
F-1987-166-021	Flight Cycle Calculation - Inspection	14
F-1987-167-022R1	Electrical Multiple Panels - Inspection.....	14
F-1987-168-029	Flight Cycle Calculation - Inspection	14
F-1988-188-024R1	Tripod - Inspection	14
F-1988-189-030	Tripod - Inspection	14
F-1990-006-025R1	Swashplate - Inspection	15
F-1990-007-031R1	Swashplate - Inspection	15
F-1990-099-026	MGB Oil Line - Inspection	15
F-1990-119-032R1	MGB Bar Shackles - Inspection	15
F-1990-203-028	Autopilot Actuators - Inspection	15
F-1990-204-033R1	Tail Rotor Control Shaft - Inspection	16
F-1990-205-027R1	Tail Rotor Control Shaft - Inspection	16
F-1991-022-029	Front Passenger Door - Inspection	16
F-1991-041-030	LUCAS AIR EQUIPEMENT Electric Hoist - Inspection	16
F-1991-082-034	LUCAS AIR EQUIPEMENT Electric Hoist - Inspection	16
F-1991-267-031	Main Rotor Shaft - Inspection.....	17
F-1991-268-035	Main Rotor Shaft - Inspection.....	17
F-1992-181-032R1	Main Rotor Pitch Change Horn Bushes - Inspection.....	17
F-1992-182-036R1	Main Rotor Pitch Change Horn Bushes - Inspection.....	17
F-1992-185-033R4	Tail Rotor - Inspection	17
F-1993-065-034R1	Rotor Mast Shaft - Inspection.....	18
F-1993-066-037R1	Rotor Mast Shaft - Inspection.....	18
F-1994-052-035	Front Passenger Door Jettison Mechanism - Inspection.....	18
F-1994-076-036R1	Outboard Fins Attachment - Inspection.....	18
F-1994-145-039	Free Wheel - Inspection	18
F-1994-148-037	Fuel Filter Elements - Inspection.....	19
F-1994-149-038	Fuel Filter Elements - Inspection.....	19
F-1995-067-038	Transmission Deck - Inspection	19
F-1995-107-039R1	Tail Rotor Hub Fairing - Inspection	19
F-1995-112-040	Tail Rotor Hub Fairing - Inspection	19
F-1996-117-040	Main Rotor Head Frequency Adapter - Inspection	20
F-1997-145-042	MGB Planet Gear Shaft - Inspection	20
F-1998-112-042	Single-pole Circuit Breakers - Inspection	20
F-1998-113-043	Single-pole Circuit Breakers - Inspection	20
F-1998-252-043	Connectral manufactured Electrical Connection Modules - Inspection	20
F-1998-253-044R1	Connectral manufactured Electrical Connection Modules - Inspection	21
F-1998-324-045	MGB Vibration Level Monitoring - Inspection	21
F-1998-383-044	MRH / Spherical thrust bearings / Beam Attach Bolts - Inspection	21
F-1998-384-047	MRH Spherical Thrust Bearings/Beams Attach Bolts - Inspection	21
F-1998-517-048R2	Printed Circuit Boards - Inspection.....	21
F-1999-459-049R1	Enlarged Sliding Doors, Non-jettisonable Windows - Inspection.....	22
F-2000-108-050R2	Sand Filter Ejection Nozzles - Inspection.....	22
F-2000-235-045	Main Rotor Blades - Service Life Limitation	22
F-2000-302	Ferry Fuel Tanks - Inspection	22

F-2000-517-051	Engine Indicating Adaptation - Inspection	22
F-2001-058-001R1	Cabin Sliding Door - Inspection.....	23
F-2001-060-052	Fuselage Frame, Reinforced Latch Support - Inspection	23
F-2001-061-053	Fuselage Frame, Stretcher support - Inspection	23
F-2001-439-002R1	SMS 45 H Screens - Inspection	23
F-2001-617-004R1	SMD 45 H Screens - Inspection	23
F-2002-044	SIREN Cargo Hooks - Inspection.....	24
F-2002-186-005R1	Doors - Inspection	24
F-2002-283-048R1	MGB Torque of Attach Stud - Inspection.....	24
F-2002-285-055R1	MGB Torque of Attach Studs - Inspection	24
F-2002-312R1	Rotor Flight Controls "TRW-SAMM" Main Servo Controls - Inspection.....	24
F-2002-452R1	Main Rotor and Tail Rotor Dynamic Components - Inspection	25
F-2002-472-057	Tail Rotor Head Pitch Change Control Rod - Inspection	25
F-2002-473-006	Tail Rotor Head Pitch Change Control Rod - Inspection	25
F-2002-474R2	MLG Wheel Brake Hydraulic Hose – Inspection	25
F-2002-515R1	Landing Gear Indicating System - Inspection.....	25
F-2003-028R1	Fuel Air Vent Hose and RH Front Passenger Door Latch Support – Inspection	26
F-2003-196	Engine Governing Red "GOV" Warning Lights - Inspection	26
F-2003-321	Landing Gear Brace Strut Actuator – Inspection	26
F-2003-322R1	Rotor Flight Controls, Double Locking of Stop Screws - Inspection	26
F-2003-323	Indicating and Recording Systems, Landing Gear PCBs - Inspection	26
F-2003-345R2	Cabin Sliding Doors - Inspection	27
F-2003-372	Cabin Sliding Doors Microswitches - Inspection	27
F-2004-013R1	Rotor Flight Controls, Prohibition of Intentional Auto-rotation - Inspection	27
F-2004-052R1	Sliding Doors Upper Rail & Fitting – Inspection	27
F-2004-057R1	Electrical / Electronic Panel 12 Alpha Wiring - Inspection	27
F-2004-060R1	Limitations - Never Exceed Speed (Vne) - Inspection.....	28
F-2004-099	Main Landing Gear Wheel Brake Hose – Inspection	28
F-2004-106	Main Rotor Blade / Tip Cap Junction - Inspection	28
F-2004-107R1	Cabin Sliding Doors - Inspection	28
F-2004-156	Cabin Sliding Door Rails and Fittings - Inspection	28
F-2004-157	Cabin Sliding Doors Forward Centering Pins - Inspection	29
F-2004-179	Engine Fire Extinguishers - Inspection.....	29
F-2004-180	Engine & Baggage Compartment Fire Extinguishers - Inspection	29
F-2004-188	Cargo Hold Fire Detectors & Upholstering - Inspection.....	29
F-2005-036	Main Gearbox (MGB) Bottom Plate - Inspection	29
F-2005-119R1	Hydraulic System Cooler Filter Element - Inspection	30
F-2006-042	Hydraulic Power Flexible Hydraulic Pipes & Attachment Clamps – Inspection	30
2006-0052-E	Cabin Sliding Doors - Inspection	30
2006-0078	Tail Rotor Blade Tuning Weights - Inspection	30
2006-0080	Life Raft Installation - Inspection	30
2006-0084-E	Main Rotor Hub-to-Mast Bolted Attachment - Inspection	31
2006-0098	[Corrected] Hoist Hooks - Inspection.....	31
2006-0099	Tail Rotor Blades - Inspection	31
2006-0101	Main Gearbox (MGB) Base Plate - Inspection	31
2006-0213	Optional Ski Installation – AFM Supplement.....	31
2006-0214	Main Gear Box, Low Oil Pressure Warning - Inspection	32
2006-0255	Engine Control Selector Switch Guard on Panel 12 ALPHA - Inspection.....	32
2006-0256R1	[Corrected] Engine Control Selector Switch Guard - Inspection.....	32
2006-0362-E	Main Rotor Head Frequency Adapters - Inspection	32
2006-0368R1	[Correction] Rotor Mast Nut - Inspection	32
2007-0099	Main & Tail Rotors Servo-Controls - Inspection	33
2007-0129	Main Gearbox (MGB) Suspension Diagonal Cross-Member - Inspection	33
2007-0159-E	Hoist Cut-off Connector 24 Delta - Inspection	33

2007-0220	Tail Rotor Blade Pitch Control Shafts - Inspection	33
2007-0224R1	[Corrected] CPT 609 Crash Position Transmitter Beacon Antenna - Inspection	34
2007-0288R1	MGB) Planet Gear Carrier - Inspection	34
2008-0096-E	Crash Position Indicator (CPI) Components - Inspection	34
2008-0165R1	Starflex Star Arm Ends - Inspection	34
2008-0204R1	Never-Exceed Speed (VNE) and Rate-of-Descent (R/D) – Limitation	34
2009-0035-E	UNS-1D Navigation System – Limitation.....	35
2009-0078R1	VIP 4-seat Benches – Limitation	35
2009-0109-E	High Level Switches / Fuel Transfer between Fuel Tank Groups - Inspection	35
2009-0122R1	Load Release Units - Inspection	35
2010-0014	Hoist Operator's Belt Snap Hook - Inspection	35
2010-0040	Jettisoning System of the Pilot's and Co-pilot's Doors - Inspection	36
2010-0052-E	External Life Raft Mooring Line Attachment - Inspection	36
2010-0100R1	[Correction] Vertical Gyro Unit Data Output - Limitation.....	36
2010-0116-E	Main Gearbox Oil Low Pressure Switch Connection - Inspection	36
2010-0181	Cancelled – EASA AD 2025-0191 refers	36
2010-0257	Jettisoning System of Hinged Cabin Door Window – Inspection.....	36
2011-0108	Upper Fin / Fenestron Attachment Fittings - Inspection	37
2011-0127	Main Gearbox Casing - Inspection	37
2011-0154	[Correction] Collective Pitch Lever Restraining Tab - Inspection	37
2011-0190	Fuel Draining System - Inspection	37
2012-0067	Tail Rotor Blade Monitoring and Limitations - Inspection	37
2012-0098-E	AFM Emergency Procedures - Revision	38
2012-0108R1	Fuselage Frame No.9 - Inspection	38
2012-0148	AFM Operating Limitations Section – Amendment	38
2012-0206	EADS SOGERMA Flight Crew Seats - Inspection	38
2012-0227R1	Tail Rotor Hub - Inspection	38
2013-0218	Main Rotor Hub Frequency Adapter / Torque Value - Inspection.....	39
2013-0294	Passenger Compartment Lighting – Inspection	39
2014-0159R1	Fuselage Frame – Inspection.....	39
2014-0162R2	Fuselage Upper Frame – Inspection.....	39
2014-0188R4	Emergency Flotation System – AFM Supplement.....	39
2014-0214	External Life Rafts – Inspection	40
2014-0231	Safety Belt Straps / Arm-Rest Stops and Fold-Down Centre Back-Rest - Inspection	40
2014-0236R1	Emergency Lighting – AFM Operational Procedure Amendment.....	40
2014-0240	Fuel Supply – Inspection	40
2015-0048	External Life Raft - Inspection	40
2015-0068-E	Placards and Markings - Inspection	41
2015-0075	Emergency Locator Transmitter - Inspection	41
2015-0157	Jettisoning System of the Pilot and Co-pilot Doors - Inspection	41
2015-0168	Cabin Windows / Jettisoning System – Inspection	41
2015-0226R6	[Correction] Hoist - Inspection	41
2016-0028	Internal Life Rafts – Inspection.....	42
2016-0115-E	Main Rotor Mast / Starflex Star / Mast Connecting Bolts - Inspection	42
2016-0258	Strobe Light Harnesses - Inspection	42
2017-0116R2	MGB Magnetic Plugs & Main Rotor Drive Planet Gear Assemblies - Inspection	42
2018-0069	Flight / Ground Logic – Inspection	42
2018-0173-E	Hoist Carrier Assembly – Inspection	43
2018-0176	Main Gearbox Magnetic Plug - Inspection	43
2018-0258	Swing Door Jettisonable Window – Inspection	43
2018-0263	MGB Magnetic Plugs & Main Rotor Drive Planet Gear Assemblies - Inspection	43
2019-0008	Cowlings and Fairings - Inspection	43
2019-0080	Aft Fuselage Skin Panels – Inspection.....	44
2019-0088R1	Placards and Markings - Inspection	44

2019-0165-E	Tail Rotor Gearbox - Inspection	44
2019-0184	Main Rotor Servo Actuators – Inspection.....	44
2019-0246	Collective Controls / Protective Cover – Inspection	44
2020-0013	Hand-held Fire Extinguishers – Inspection.....	45
2020-0043	Main Gearbox – Inspection	45
2020-0064	Emergency Flotation System / Inflation Hoses – Inspection	45
2020-0287	Tail Rotor Drive Flange / Shaft Flexible Coupling - Inspection	45
2021-0016	Main Gearbox / Magnetic Plug and Oil Filter / Planet Gears - Inspection	45
2021-0048	Cancelled – EASA AD 2023-0064 refers	45
2021-0101R2	Door Placards and AFM Emergency Procedures – Inspection/Amendment	46
2021-0170	Tail Rotor Double Bearing - Inspection	46
2021-0171R1	Tail Rotor Pitch Control Rod Bearing - Inspection.....	46
2021-0225	AFM Supplement / OEI Performance Limitations – Amendment	46
2021-0265	Power Plant Cowlings - Inspection.....	46
2022-0006R2	Main Rotor Drive Oil Cooling Fan Hub - Inspection	46
2022-0038	Cancelled – EASA AD 2023-0001 refers	46
2022-0220	Main Rotor Flight Controls / Shear-button Safety Cap – Inspection	47
2022-0231	Central Firewall Stiffener – Inspection.....	47
2022-0261	Fire Detectors – Replacement	47
2023-0001	Tail Rotor Pitch Control Rod Bearing – Inspection.....	47
2023-0064	Main Rotor Pitch Rod Upper Links - Inspection	47
2023-0090	Tail Rotor Actuator - Inspection.....	47
* 2024-0110	Cancelled – EASA AD 2025-0239 refers	47
2024-0173	Jettisonable Windows, Sliding Doors and Fixed Panels - Modification	47
2024-0244	Hoist - Inspection	48
2025-0051R1	Hoist – Replacement.....	48
2025-0191	Airworthiness Limitation Section - Amendment.....	48
* 2025-0239	Upper Ball Bearing End of the Main Rotor Servo Controls - Inspection	48

F-1979-102-002 TRGB Tripod Mount P/N 360 - Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-1979-135-003 Spherical Thrust Bearings SEP P/N 704A.33.633.27 or 30 - Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-1979-190-004 Main Rotor Head Control System - Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-1979-211-005 Magnetic Plug, Engine Reduction Rear & Engine Oil Pressure - Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-1979-253-006 Magnetic Plug with Warning System - Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-1980-164-007 Magnetic Plug on Engine Oil System with Warning Installation - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1981-066-010 Long Sliders on Pilot and Co-pilots Seats - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1982-080-012 Horizontal Stabilizers - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1982-136-014R1 System for Holding the Horizontal Stabilizer Flanges - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1982-166-001 Unusable Fuel - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1983-012-002 Fire Extinguishing System Pipes - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1983-013-015 Life Time Reduction for Rotor Drive Element - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1983-038-016R1 System for Holding the Horizontal Stabilizers Flanges - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1983-077-003 Flight Controls, Roll Lever & 9 Deg Frame Cover - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1983-182-017 Flexible Coupling - Reduced Service Life****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1983-183-004 Flexible Coupling - Reduced Service Life**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1983-186-018 MGB modified to AMS 07-7149 (Relocation of Drain Plug) - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1983-200-019 Rotating Fairings and the Tail Rotor Hub Body - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1983-201-005 Rotating Fairings and the Tail Rotor Hub Body - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1983-203-020 Main Rotor Head Fairing Supports - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1984-019-021R2 Main Rotor Mast Shaft - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1984-020-006R2 Main Rotor Mast Shaft - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1984-151-023 Tail Rotor Drive Shaft Bearing Block Assembly N1 - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1984-152-008 Tail Rotor Drive Shaft Bearing Block Assembly N1 - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1985-013-009R1 Wire Antenna Installation for HF SSB Radio - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1985-037-010 Locking of Rear Sidegate - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1985-085-012 Engine Fire Extinguisher System - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1985-155-024 Tail Rotor Gearbox, Oil Filler Cap - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1985-156-013 Tail Rotor Gearbox, Oil Filler Cap - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1986-017-014 Fuel Filter - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1986-033-025R1 Main Rotor Head, Roving Sleeve Beams - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1986-034-015R2 Main Rotor Head, Roving Sleeve Beams - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1986-087-016R2 Interference with Flight Controls - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1986-122-026 BLU Wire Antenna - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1986-123-017R1 Main Rotor Shaft - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1986-170-019 Spherical Thrust Bearing/Attach Beams Bolt - Reduction of Life Limit**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1986-175-018 Hydraulic System - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1986-176-027 Hydraulic System - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1987-008-028 Interference of Fuel Flow Control with Engine Fuel pipe - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1987-009-020R1 Power Plant Embodied with TURBOMECA Modification - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1987-166-021 Flight Cycle Calculation - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1987-167-022R1 Electrical Multiple Panels - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1987-168-029 Flight Cycle Calculation - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1988-188-024R1 Tripod - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1988-189-030 Tripod - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1990-006-025R1 Swashplate - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1990-007-031R1 Swashplate - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1990-099-026 MGB Oil Line - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1990-119-032R1 MGB Bar Shackles - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1990-203-028 Autopilot Actuators - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1990-204-033R1 Tail Rotor Control Shaft - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1990-205-027R1 Tail Rotor Control Shaft - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1991-022-029 Front Passenger Door - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1991-041-030 LUCAS AIR EQUIPEMENT Electric Hoist - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1991-082-034 LUCAS AIR EQUIPEMENT Electric Hoist - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1991-267-031 Main Rotor Shaft - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1991-268-035 Main Rotor Shaft - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1992-181-032R1 Main Rotor Pitch Change Horn Bushes - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1992-182-036R1 Main Rotor Pitch Change Horn Bushes - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1992-185-033R4 Tail Rotor - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1993-065-034R1 Rotor Mast Shaft - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1993-066-037R1 Rotor Mast Shaft - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1994-052-035 Front Passenger Door Jettison Mechanism - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1994-076-036R1 Outboard Fins Attachment - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1994-145-039 Free Wheel - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1994-148-037 Fuel Filter Elements - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1994-149-038 Fuel Filter Elements - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1995-067-038 Transmission Deck - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1995-107-039R1 Tail Rotor Hub Fairing - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1995-112-040 Tail Rotor Hub Fairing - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1996-117-040 Main Rotor Head Frequency Adapter - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1997-145-042 MGB Planet Gear Shaft - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1998-112-042 Single-pole Circuit Breakers - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1998-113-043 Single-pole Circuit Breakers - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1998-252-043 Connectral manufactured Electrical Connection Modules - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1998-253-044R1 Connectral manufactured Electrical Connection Modules - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1998-324-045 MGB Vibration Level Monitoring - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1998-383-044 MRH / Spherical thrust bearings / Beam Attach Bolts - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1998-384-047 MRH Spherical Thrust Bearings/Beams Attach Bolts - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-1998-517-048R2 Printed Circuit Boards - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-1999-459-049R1 Enlarged Sliding Doors, Non-jettisonable Windows - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2000-108-050R2 Sand Filter Ejection Nozzles - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2000-235-045 Main Rotor Blades - Service Life Limitation****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2000-302 Ferry Fuel Tanks - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2000-517-051 Engine Indicating Adaptation - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-2001-058-001R1 Cabin Sliding Door - Inspection**Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2001-060-052 Fuselage Frame, Reinforced Latch Support - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2001-061-053 Fuselage Frame, Stretcher support - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2001-439-002R1 SMS 45 H Screens - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2001-617-004R1 SMD 45 H Screens - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-2002-044 SIREN Cargo Hooks - Inspection**Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2002-186-005R1 Doors - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2002-283-048R1 MGB Torque of Attach Stud - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2002-285-055R1 MGB Torque of Attach Studs - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2002-312R1 Rotor Flight Controls "TRW-SAMM" Main Servo Controls - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-2002-452R1 Main Rotor and Tail Rotor Dynamic Components - Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-2002-472-057 Tail Rotor Head Pitch Change Control Rod - Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-2002-473-006 Tail Rotor Head Pitch Change Control Rod - Inspection

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-2002-474R2 MLG Wheel Brake Hydraulic Hose – Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-2002-515R1 Landing Gear Indicating System - Inspection

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-2003-028R1 Fuel Air Vent Hose and RH Front Passenger Door Latch Support – Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2003-196 Engine Governing Red "GOV" Warning Lights - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2003-321 Landing Gear Brace Strut Actuator – Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2003-322R1 Rotor Flight Controls, Double Locking of Stop Screws - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2003-323 Indicating and Recording Systems, Landing Gear PCBs - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-2003-345R2 Cabin Sliding Doors - Inspection

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-2003-372 Cabin Sliding Doors Microswitches - Inspection

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-2004-013R1 Rotor Flight Controls, Prohibition of Intentional Auto-rotation - Inspection

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-2004-052R1 Sliding Doors Upper Rail & Fitting – Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-2004-057R1 Electrical / Electronic Panel 12 Alpha Wiring - Inspection

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.

Effective Date: 24 February 2022

F-2004-060R1 Limitations - Never Exceed Speed (Vne) - Inspection**Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2004-099 Main Landing Gear Wheel Brake Hose – Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2004-106 Main Rotor Blade / Tip Cap Junction - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2004-107R1 Cabin Sliding Doors - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2004-156 Cabin Sliding Door Rails and Fittings - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-2004-157 Cabin Sliding Doors Forward Centering Pins - Inspection**Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2004-179 Engine Fire Extinguishers - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2004-180 Engine & Baggage Compartment Fire Extinguishers - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2004-188 Cargo Hold Fire Detectors & Upholstering - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2005-036 Main Gearbox (MGB) Bottom Plate - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022

F-2005-119R1 Hydraulic System Cooler Filter Element - Inspection**Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**F-2006-042 Hydraulic Power Flexible Hydraulic Pipes & Attachment Clamps – Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the DGAC AD.**Effective Date:** 24 February 2022**2006-0052-E Cabin Sliding Doors - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2006-0078 Tail Rotor Blade Tuning Weights - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2006-0080 Life Raft Installation - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2006-0084-E Main Rotor Hub-to-Mast Bolted Attachment - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2006-0098 [Corrected] Hoist Hooks - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2006-0099 Tail Rotor Blades - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2006-0101 Main Gearbox (MGB) Base Plate - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2006-0213 Optional Ski Installation – AFM Supplement****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2006-0214 Main Gear Box, Low Oil Pressure Warning - Inspection**Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2006-0255 Engine Control Selector Switch Guard on Panel 12 ALPHA - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2006-0256R1 [Corrected] Engine Control Selector Switch Guard - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2006-0362-E Main Rotor Head Frequency Adapters - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2006-0368R1 [Correction] Rotor Mast Nut - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2007-0099 Main & Tail Rotors Servo-Controls - Inspection

Applicability: AS 365 series, SA 365 series and EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2007-0129 Main Gearbox (MGB) Suspension Diagonal Cross-Member - Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2007-0159-E Hoist Cut-off Connector 24 Delta - Inspection

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2007-0220 Tail Rotor Blade Pitch Control Shafts - Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2007-0224R1 [Corrected] CPT 609 Crash Position Transmitter Beacon Antenna - Inspection**Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2007-0288R1 MGB) Planet Gear Carrier - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2008-0096-E Crash Position Indicator (CPI) Components - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2008-0165R1 Starflex Star Arm Ends - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2008-0204R1 Never-Exceed Speed (VNE) and Rate-of-Descent (R/D) – Limitation****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2009-0035-E UNS-1D Navigation System – Limitation**Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2009-0078R1 VIP 4-seat Benches – Limitation****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2009-0109-E High Level Switches / Fuel Transfer between Fuel Tank Groups - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2009-0122R1 Load Release Units - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2010-0014 Hoist Operator's Belt Snap Hook - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2010-0040 Jettisoning System of the Pilot's and Co-pilot's Doors - Inspection**Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2010-0052-E External Life Raft Mooring Line Attachment - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2010-0100R1 [Correction] Vertical Gyro Unit Data Output - Limitation****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2010-0116-E Main Gearbox Oil Low Pressure Switch Connection - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2010-0181 Cancelled – EASA AD 2025-0191 refers****Effective Date:** 25 September 2025**2010-0257 Jettisoning System of Hinged Cabin Door Window – Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2011-0108 Upper Fin / Fenestron Attachment Fittings - Inspection**Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2011-0127 Main Gearbox Casing - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2011-0154 [Correction] Collective Pitch Lever Restraining Tab - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2011-0190 Fuel Draining System - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2012-0067 Tail Rotor Blade Monitoring and Limitations - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2012-0098-E AFM Emergency Procedures - Revision

Applicability: AS 365 series, SA 365 series and EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2012-0108R1 Fuselage Frame No.9 - Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2012-0148 AFM Operating Limitations Section – Amendment

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2012-0206 EADS SOGERMA Flight Crew Seats - Inspection

Applicability: AS 365 series, SA 365 series and EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2012-0227R1 Tail Rotor Hub - Inspection

Applicability: AS 365 series, SA 365 series and EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2013-0218 Main Rotor Hub Frequency Adapter / Torque Value - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2013-0294 Passenger Compartment Lighting – Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2014-0159R1 Fuselage Frame – Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2014-0162R2 Fuselage Upper Frame – Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2014-0188R4 Emergency Flotation System – AFM Supplement****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2014-0214 External Life Rafts – Inspection

Applicability: AS 365 series, SA 365 series and EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2014-0231 Safety Belt Straps / Arm-Rest Stops and Fold-Down Centre Back-Rest - Inspection

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2014-0236R1 Emergency Lighting – AFM Operational Procedure Amendment

Applicability: AS 365 series, SA 365 series and EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2014-0240 Fuel Supply – Inspection

Applicability: AS 365 and SA 365 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2015-0048 External Life Raft - Inspection

Applicability: AS 365 series, SA 365 series and EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2015-0068-E Placards and Markings - Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2015-0075 Emergency Locator Transmitter - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2015-0157 Jettisoning System of the Pilot and Co-pilot Doors - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2015-0168 Cabin Windows / Jettisoning System – Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2015-0226R6 [Correction] Hoist - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2016-0028 Internal Life Rafts – Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2016-0115-E Main Rotor Mast / Starflex Star / Mast Connecting Bolts - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2016-0258 Strobe Light Harnesses - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2017-0116R2 MGB Magnetic Plugs & Main Rotor Drive Planet Gear Assemblies - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2018-0069 Flight / Ground Logic – Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2018-0173-E Hoist Carrier Assembly – Inspection**Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2018-0176 Main Gearbox Magnetic Plug - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2018-0258 Swing Door Jettisonable Window – Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2018-0263 MGB Magnetic Plugs & Main Rotor Drive Planet Gear Assemblies - Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2019-0008 Cowlings and Fairings - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2019-0080 Aft Fuselage Skin Panels – Inspection**Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2019-0088R1 Placards and Markings - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2019-0165-E Tail Rotor Gearbox - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2019-0184 Main Rotor Servo Actuators – Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2019-0246 Collective Controls / Protective Cover – Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022

2020-0013 Hand-held Fire Extinguishers – Inspection**Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2020-0043 Main Gearbox – Inspection****Applicability:** EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2020-0064 Emergency Flotation System / Inflation Hoses – Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2020-0287 Tail Rotor Drive Flange / Shaft Flexible Coupling - Inspection****Applicability:** AS 365 series, SA 365 series and EC 155 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2021-0016 Main Gearbox / Magnetic Plug and Oil Filter / Planet Gears - Inspection****Applicability:** AS 365 and SA 365 series helicopters.**Compliance:** Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.**Effective Date:** 24 February 2022**2021-0048 Cancelled – EASA AD 2023-0064 refers****Effective Date:** 3 April 2023

2021-0101R2 Door Placards and AFM Emergency Procedures – Inspection/Amendment

Applicability: SA 365 N, SA 365 N1, AS 365 N2, AS 365 N3, EC 155 B and EC 155 B1 helicopters, all S/N.

Effective Date: EASA AD 2021-0101 - 24 February 2022
 EASA AD 2021-0101R1 - 31 March 2022
 EASA AD 2021-0101R2 - 26 January 2023

2021-0170 Tail Rotor Double Bearing - Inspection

Applicability: AS 365 series, SA 365 series and EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
 Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2021-0171R1 Tail Rotor Pitch Control Rod Bearing - Inspection

Applicability: SA 365 N1, AS 365 N2, AS 365 N3, EC 155 B and EC 155 B1 helicopters, all S/N.

Effective Date: EASA AD 2021-0171 - 24 February 2022
 EASA AD 2021-0171R1 - 25 July 2024

2021-0225 AFM Supplement / OEI Performance Limitations – Amendment

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
 Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2021-0265 Power Plant Cowlings - Inspection

Applicability: AS 365 series, SA 365 series and EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
 Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2022-0006R2 Main Rotor Drive Oil Cooling Fan Hub - Inspection

Applicability: EC 155 series helicopters.

Compliance: Initial compliance required before the issue of a New Zealand Certificate of Airworthiness, or at the next Review of Airworthiness (RA), or at the next annual inspection, whichever is the sooner, unless previously accomplished.
 Repetitive inspections, if required, are to be accomplished at intervals not to exceed the times specified in the EASA AD.

Effective Date: 24 February 2022

2022-0038 Cancelled – EASA AD 2023-0001 refers

Effective Date: 18 January 2023

2022-0220 Main Rotor Flight Controls / Shear-button Safety Cap – Inspection

Applicability: SA 365 N, SA 365 N1, AS 365 N2, AS 365 N3, 155 B and EC 155 B1 helicopters, all S/N fitted with hoist provisions (hoist fixed parts).

Effective Date: 24 November 2022

2022-0231 Central Firewall Stiffener – Inspection

Applicability: SA 365 N, SA 365 N1, AS 365 N2, AS 365 N3, EC 155 B and EC 155 B1 helicopters, all S/N.

Effective Date: 22 December 2022

2022-0261 Fire Detectors – Replacement

Applicability: AS 365 N3, EC 155 B and EC 155 B1 helicopters, all S/N.

Effective Date: 3 January 2023

2023-0001 Tail Rotor Pitch Control Rod Bearing – Inspection

Applicability: SA 365 C1, SA 365 C2, SA 365 C3 and SA 365 N helicopters, all S/N.

Effective Date: 18 January 2023

2023-0064 Main Rotor Pitch Rod Upper Links - Inspection

Applicability: SA 365 C1, SA 365 C2, SA 365 C3, SA 365 N, SA 365 N1, AS 365 N2 and AS 365 N3 helicopters, all S/N.

Note: The repetitive visual inspections required at intervals not to exceed 10 hours TIS per requirement (2) of EASA AD 2023-0064 may be accomplished by adding the inspection requirement to the helicopter tech log. The visual inspection may be performed and certified under the provision in Part 43 Appendix A.1 (7) by the holder of a current pilot licence, if that person is rated on the aircraft, appropriately trained and authorised (Part 43, Subpart B refers), and the maintenance is recorded and certified as required by Part 43.

If the markings on one, or both sides of a main rotor pitch rod upper link are found misaligned during the repetitive visual inspections, then an aircraft maintenance engineer must accomplish the corrective actions per requirement (3) of EASA AD 2023-0064 before further flight.

Effective Date: 3 April 2023

2023-0090 Tail Rotor Actuator - Inspection

Applicability: SA 365 N, SA 365 N1, AS 365 N2 and AS 365 N3 helicopters, all S/N.

Effective Date: 25 May 2023

*** 2024-0110 Cancelled – EASA AD 2025-0239 refers**

Effective Date: 10 November 2025

2024-0173 Jettisonable Windows, Sliding Doors and Fixed Panels - Modification

Applicability: EC 155 B and EC 155 B1 helicopters, all S/N.

Effective Date: 26 September 2024

2024-0244 Hoist - Inspection

Applicability: SA 365 N, SA 365 N1, AS 365 N3, SA 365 C1, SA 365 C2 and SA 365 C3 helicopters, all S/N.

Effective Date: 20 December 2024

2025-0051R1 Hoist – Replacement

Applicability: AS 365 N3 helicopters, all S/N.

Note: Since EASA AD 2025-0051 was issued it has been determined that the rescue hoist assembly P/N for Leonardo AW109SP is incorrect. This AD is revised to correct the rescue hoist assembly P/N for Leonardo AW109SP and to clarify that the “cycles”, referred to in Table 2 and Table 3 of the AD are “hoist cycles”.

Affected Part: Rescue hoist assemblies identified in Table 1 of EASA AD 2025-0051R1 with a S/N identified in the applicable referenced ASB, except those hoists modified in accordance with the instructions in Onboard Systems (previously Goodrich) SB 44314-398-01 (for Leonardo helicopters), or Onboard Systems (previously Goodrich) SB 44301-398-01 (for AH and AHD helicopters). The leading digit in the Rescue Hoist assembly S/N as listed in the applicable referenced ASB is irrelevant (0XXXX is the same as 4XXXX or 5XXXX). The leading digit may differ depending on prior modifications or conversions.

Effective Date: EASA AD 2025-0051 - 27 March 2025
EASA AD 2025-0051R1 - 29 May 2025

2025-0191 Airworthiness Limitation Section - Amendment

Applicability: EC 155 B and EC 155 B1 helicopters, all S/N.

Effective Date: 25 September 2025

*** 2025-0239 Upper Ball Bearing End of the Main Rotor Servo Controls - Inspection**

Applicability: SA 365 N, SA 365 N1, AS 365 N2, AS 365 N3, EC 155 B and EC 155 B1 helicopters, all S/N.

Effective Date: 10 November 2025