

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
Models listed on the FAA-PMA that are Type Accepted or eligible for Type Acceptance in New Zealand.	Parts Manufacturer Approval (PMA)	FAA	Replacement* FAA-PMA parts and their associated technical data (e.g. ICA) from FAA approved PMA suppliers. *Data associated with ‘modification’ or ‘STC’ PMAs must satisfy CAR 21 Appendix D (b).	02/08/2018	18/AC/79
Models listed on the APMA that are Type Accepted or eligible for Type Acceptance in New Zealand.	Australian Parts Manufacturer Approval (APMA)	CASA	Replacement* APMA parts and their associated technical data (e.g. ICA) from CASA approved APMA suppliers. *Data associated with ‘modification’ APMAs must satisfy CAR 21 Appendix D (b).	02/08/2018	18/AC/79
Models listed on the PDA that are Type Accepted or eligible for Type Acceptance in New Zealand.	Part Design Approval (PDA)	Transport Canada	PDA parts and their associated technical data (e.g. ICA) from Transport Canada approved PDA suppliers.	02/08/2018	18/AC/79
Models listed on the STC AML that are Type Accepted or eligible for Type Acceptance in New Zealand.	SA 1468	LBA	Use of Oratex Covering Fabric	04/02/2016	16/ACM/27
	STC 10050167	EASA	Use of Oratex Covering Fabric	04/02/2016	16/ACM/28
	SH98-35	Transport Canada	Helicopter External Transport System – conditions apply per letter ref. 17/ACM/18.	28/09/2017	17/ACM/18

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
Models on the STC AML for which EASA is the State of Design and which have also been Type Accepted in New Zealand.	STC SA01714WI	FAA	Installation of Garmin GTX330 or GTX335 Series with ADS-B functionality in select airplanes installed with G950/G1000 systems.	08/09/2017	18/ACM/22
Models listed on the EASA Minor Change Approval AML that are Type Accepted in New Zealand	Minor Change Approval 10071394	EASA	Installation of Garmin GTR 225 Series VHF Com Transceiver and/or GNC 255 Series VHF Nav/Com units.	22/07/2020	21/ACM/3
	Minor Change Approval 10071542	EASA	Installation of Garmin GTR 225 Series VHF Com Transceiver and/or GNC 255 Series VHF Nav/Com units.	13/04/2021	21/21N/14
Aircraft of the glider category Type Accepted in New Zealand	Gliding New Zealand Inc. Advisory Circular AC 3-19 Issue 1 dated 22-September 2021	CAA	Installation of trig TT2x/TN-72 Stand-Alone ADS-B Systems in Gliders. Note: The acceptance by the Director is applicable to AC 3-19 Issue 1, dated 22-September-2021 only. Installations on or after 1 April 2022 require a later issue of AC 3-19.	8/10/2021 (See note)	21/21N/20

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
	Gliding New Zealand Inc. Advisory Circular AC 3-19 Issue 2 dated 05 February 2022	CAA	Installation of trig TT2x/TN-72 Stand-Alone ADS-B Systems in Gliders. Note: The acceptance by the Director is applicable to AC 3-19 Issue 2, dated 05-February 2022 only.	3/03/2022	22/21N/18
Agusta Bell AB206A	STC SR02346LA	FAA	Installation of Stability Augmentation System (SAS).	15/12/2021	21/21N/18
AgustaWestland S.p.A A109E, A109S, AW109SP	STC SR02988CH	FAA	Installation of the Inlet Barrier Filter System (IBF)	26/06/2017	17/ACM/124
Airbus A320 Series	LBA.21E2.TA0741	EASA	Zonal dryer	10/6/2009	9/ACM/67
	STC 10031757	EASA	Bucher Leichtbau ATS 16g Stretcher P/N 1123000-series *Note: accepted as “basis” STC only; a separate design change approval is required to allow for installation in the aircraft **Includes acceptance on A321 series	01/02/2017	17/ACM/87
	STC 10043150	EASA	Installation of Teledyne Control Wireless Ground Quick Access Recorder	14/11/2017	18/ACM/32
	Eirtech design changes 1358, 1367, and 1369	EASA (EASA.21J.452)	Interior reconfiguration of A320 from 168 PAX to 180 PAX	14/08/2019	20/ACM/17

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
	STC 10014013	EASA	Installation of non-electrical emergency escape path lighting	19/02/2020	20/ACM/89
	Aeroconseil design change 40577	EASA (EASA.21J.039)	Interior reconfiguration of A320 from 168 PAX to 180 PAX	02/06/2020	20/ACM/72
	LHT EB-SR-No. DES 57686/7	EASA (EASA.21J.019)	Cyclean A320 Fam. / PW1100 Engine Water Wash	26/11/2024	25/21N/4
	LHT EB-SR-No. 00153792/005	EASA (EASA.21J.019)	Cyclean A320 Fam. / PW1100 Engine Glycol Wash	26/11/2024	25/21N/6
	LHT EB-SR-No. 00169295/004	EASA (EASA.21J.019)	Cyclean A320 Fam. / PW1100 Engine Detergent Wash	26/11/2024	25/21N/7
	STC ST09939AC	FAA	Airbus A320/A321 Starlink Aviation Satcom System Installation *includes A321 series	30/04/2025	5412
Airbus Helicopters AS350 series	ERR-060 R0	Transport Canada	MRB LE abrasion strip replacement	7/6/2013	13/ACM/85
	ERR-082 R0	Transport Canada	MRB polyurethane strip/wedge replacement	7/6/2013	13/ACM/85
	STC 10044362	EASA	Installation of Concorde lead-acid battery in place of Ni-Cad.	14/9/2016	17ACM/19
	STC SH07-54	Transport Canada	Installation of Fibrotek Survey Stinger	9/1/2008	DW1150540-0
	Type Acceptance	FAA	All FAA STCs	28/6/2013	13/21B/10

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
Airbus Helicopters AS350 / EC130 series	Minor Change Approval 10028906	EASA	Installation of Trig Avionics TT31 Mode S Transponder	29/09/2017	18/ACM/33
	Minor Change Approval GAEL-1493	EASA	Gama Aviation installation of Garmin GMA 350/350c/350H/350Hc audio panels	24/05/2021	21/21N/17
	ATLE MOD-13169-00001	EASA	Temporary installation of RF broadcast and communication equipment. (limited to AS350B2 s/n 1230 and AS350B3 s/n 4536)	15/01/25	21N-4551
	P-RH24-035 issue 1	Transport Canada	Repair Design Approval for AS 350, AS 355, EC130 Main and Tail Rotor Blades * includes AS350, AS355, EC130 series	04/03/2025	5052
Airbus Helicopters AS350B3 / EC130 B4	STC 10060852 rev 1	EASA	Installation of ST.7500 crash resistant fuel system	14/12/2020	21/21B/9
Airbus Helicopters AS350B3 / EC130 B4	STC 10061056 rev 1	EASA	Installation of ST.7501 rupture resistant fuel system	14/12/2020	21/21B/9

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
Airbus Helicopters AS350 B2, B3, EC130 B4	Airbus Helicopter IPC	EASA	AS 350 B2, B3 IPC reference 34-60-20-02 Item 20A (GA35), May be installed on AS350 B2, B3 aircraft that have IPC 34-60-20-02 item 20 (GA56) installed by validity. EC 130 B3 IPC reference 34-55-12-01 Item 20A (GA35) may be installed on EC 130 B4 aircraft that have IPC 34-55-12-01 Item 20 (GA56) installed by validity.	30/08/2021	21/21N/1
Airbus Helicopters EC130 T2	SH14-31	Transport Canada	Cargo pod installation	15/12/2014	15/ACM/52
Airbus Helicopters AS355 series	ERR-073 R0	Transport Canada	MRB polyurethane strip/wedge replacement	7/6/2013	13/ACM/85
	ERR-074 R0	Transport Canada	MRB SS LE strip replacement	7/6/2013	13/ACM/85
	SH1477SO	FAA	Installation of Controllable Belly Mounted Searchlight (Nightscanner)	23/11/2017	18/ACM/53
	SH3319NM	FAA	Installation of Pulselite Control System	23/11/2017	18/ACM/53
	SR00889SE	FAA	Installation of Simplex 210 agricultural spray tank system	21/10/2014	15/ACM/25
	ATLE MOD-12077-00001	EASA	Temporary installation of RF broadcast equipment. (limited to AS355F1 s/n 5123)	15/01/25	21N-4551
	SR00645LA	FAA	Installation of Emergency Floats	29/05/2018	16/ACM/94

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
Airbus Helicopters AS355 F1	SR00646SE	FAA	DART replacement skid tube components	29/05/2018	16/ACM/95
Airbus Helicopters AS355 E, F1, F2, N	SR00689SE	FAA	Installation of Simplex 310 Fire Attack System	4/10/2023	24/21N/2
Airbus Helicopters EC135 P2, T2	EASA.IM.R.S.01356 (now EASA STC # 10016959)	EASA	Installation of Air Comm Corporation Cabin Air Conditioning System	25/07/2014	14/ACM/157
Airbus Helicopters AS332C, L, L1	SR00631DE-D	FAA	Dual Engine Cycle Counters	1/11/2013	14/ACM/50
Airbus Helicopters MBB BK117	AC43-14	CAA	Use of AC for BK117 with 10 passenger seats.	20/5/2014	A-540-K01/1
	Type Acceptance	FAA	All FAA STC's	29/08/2014	14/21B/15
	SR00631DE-D	FAA	Installation of AKV Inc. dual engine cycle counter BK1172XCC system	11/3/2014	14/ACM/102
	SH97-10	Transport Canada	Installation of Technisonic Transceiver.	22/4/2014	14/ACM/132
	SH15-20	Transport Canada	Installation of Talon Cargo Hook and optional Chin Mirror.	3/9/2015	16/ACM/12
	STC 10054475	EASA	Installation of External Load Attachment Device EAD03 on existing hard points	20/05/2016	16/ACM/85
	SR01906LA	FAA	Installation of multiple-place utility troop seating system (limited to MBB-BK117 D-2 only)	24/05/2016	16/ACM/93

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
	STC 10055948	EASA	Installation of modular EMS-SAR/DMK equipment (MBB-BK117 D-2 only)	19/06/2019	19/ACM/124
	Minor Change Approval 10070395	EASA	Installation of AC inverter per Aviation Avionic Service GmbH SB-199-145-002 (limited to MBB-BK117 D-2 S/N 20183 and subsequent)	09/07/2019	20/ACM/1
	Minor Change Approval 10070398	EASA	Relocation of both 28VDC/40A outlets per Aviation Avionic Service GmbH SB-199-145-001 (limited to MBB-BK117 D-2 S/N 20183 and subsequent)	09/07/2019	20/ACM/1
	STC 10055175	EASA	VIP passenger cabin interior	27/10/2020	21/21N/5
	Engine Fuel Specifications Regulations 2011 (SR 2011/352)	New Zealand Government	Use of NZMOGAS produced against Engine Fuel Specifications Regulations 2011 (SR 2011/352) in Type Certified Tecnam aircraft registered in New Zealand equipped with Rotax engines. Note: Refer to Service Instruction: Selection of suitable operating fluids for ROTAX® Engine Type 916 i (Series), 915 i (Series), 912 i (Series), 912 and 914 (Series): Dated 28 May 2021 Section 5.3.	02/02/2022	21/AC/55

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
	STC 10080916	EASA	Installation of Emergency Medical Service Equipment, P/N 145-0332030-501 (MBB-BK117 D-2 and MBB-BK117 D-3 only)	23/02/2023	23/ACM/23
ATR 72 series	STC 10045282	EASA	Installation of Dunlop P/N DR15520T Nose Landing Gear and P/N DZ30730T Main Landing Gear Tyre(s)	02/03/2017	17/ACM/68
	STC 10076718	EASA	Mounting Device and Power Supply for PIVOT portable EFB solutions in cockpit of ATR72-712A	04/08/2023	23/21N/18
BAE Systems Jetstream 3100/3200 series	STC 10068185	EASA	Installation of dual ADS-B transponder	12/02/2020	20/ACM/86
Beechcraft 400A	ST02371LA & ST10959SC	FAA	Nextant STC's – Installation of JT15D-5 engine and avionics.	29/6/2015	15/ACM/69
Bell 222 series	Type Acceptance	FAA, Transport Canada	All FAA & Transport Canada STC's	08/09/2017	18/ACM/16
Bell 427 Series	Type Acceptance	FAA, EASA	All FAA STC's	30/8/2011	11/21B/29
Bell 429 Series	Type Acceptance	FAA, EASA	All FAA & EASA STC's	14/12/2010	11/21B/3
Boeing 737-300/400	SA15-84	Transport Canada	Installation of second FMS	14/12/2015	16/ACM/42

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
Boeing 767-300	EASA.A.S.02890	EASA	Zonal dryer	16/3/2009	9/ACM/34
Boeing 777-200	STC 10039911	EASA	Zonal dryer	8/6/2012	12/MSCA/16
Boeing 777-200, Boeing 777-300ER	STC 10061590	EASA	Demonstration of T-PED Tolerance on Boeing 777 series	26/09/2017	18/ACM/4
Boeing 777-200/200LR, Boeing 777-300ER	STC 10062160 and Minor MOD 01523- EAS-B-MAS-01	EASA	Installation of GX JetWave Ka-Band BroadBand Satellite System on B777-300ER series aircraft to offer in-flight Wireless Local Area Network (WLAN) connectivity	28/09/2017 (B777-300ER) 19/03/2018 (B777-200/200LR)	17/ACM/86 18/ACM/58
Boeing 777-300ER	Northwest Aerospace Technologies Inc. Minor Design Change N0731	EASA	NAT Inc. Minor Design Change, per certification summary N0731-D90, EASA DOA EASA.21J.347 approved on 19 October 2023. B777-300ER s/n 36157 (As of 08-Jul-2024 All following revisions of N0731-D90 applicable to B777-300 s/n 36157 Issued by NAT are3 accepted.)	25/10/2023	24/21N/4
				08/07/2024	24/21N/14
			NAT Inc. Minor Design Change, per certification summary N0731-D91, EASA DOA EASA.21J.347 approved on 28 May 2024. B777-300ER s/n 39273	31/05/2024	24/21N/12

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
			NAT Inc. Minor Design Change, per certification summary N0731-D92, EASA DOA EASA.21J.347 approved on 02 Oct 2024. B777-300ER s/n 42142	14/10/2024	25/21N/10
Boeing 777 Series, Boeing 787-9	STC 10031757	EASA	Bucher Leichtbau ATS 16g Stretcher P/N 1123000-series *Note: accepted as “basis” STC only; a separate design change approval is required to allow for installation in the aircraft	13/06/2016	16/ACM/95
Boeing 777-200, Boeing 777-300ER, Boeing 787-9	STC 10066465 STC 10071280	EASA	Approval of additional Skycouch occupancy configurations.	25/09/2018 23/10/2019 (B777-200/300ER)	18/ACM/80 20/ACM/44
Boeing 787-9	STC.UK.00305	UKCAA	Modification of the HAECO Americas Model 8000 ‘Vector’ Skycouch and Standard Economy seats , for use in the Skycouch configurations.	17/09/2024	24/ACM/45
Bombardier DHC-8-300 series	STC 10057280	EASA	Installation of Dunlop P/N DR26222T Bias Main Landing Gear Tyre(s)	01/03/2017	17/ACM/67
Britten-Norman BN2A series and BN2B series	All FAA STCs	FAA	All FAA STC’s	9/04/2019	19/AC/109
Cessna 172 Series	STC 10014287	EASA	Replacement Engine (Thielert)	28/9/2006	7/ACM/17

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
	EASA.A.C.05878	EASA	Installation of Trig Avionics TT31 Mode S Transponder	03/11/2017	18/ACM/37
Cessna 172R,S, 182S,T, T182T, 206H, T206H	SA10700LA	FAA	Am-safe AAIR System (Special Condition)	12/4/2005	A435-06
Cessna C208, C208B	EASA HL/MOD/1358	EASA	Gama Aviation Installation of Nav/Comm system Garmin GNC 255(x) / GTR 225(x) products	18/07/2017	17/ACM/125
Cessna C208, C208B	SA615EA	FAA	Installation of Whelen anti-collision strobe light systems applicable to 208 and 208B s/n 208B0001-208B4999.	15/10/2019	19/ACM/121
Cessna P210N/R & T210M/N/R	STC 10038720	EASA	MT Propellers	21/12/2012	13/ACM/49
Diamond Aircraft Industries DA20-C1	Type Acceptance	FAA	All FAA STC's	24/4/2014	3/21B/29
Diamond Aircraft Industries DA 42	Type Acceptance	FAA	Installation of all FAA STC's applicable to the DA 42 with TC A57CE	23/05/2017	17/ACM/116
	Type Acceptance	EASA	Installation of all EASA STC's applicable to the DA 42 with TC EASA.A.005	23/05/2017	17/ACM/116

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
Embraer EMB-820C	FAA STCs applicable to PA-31-350 aircraft	FAA	Installation of FAA STC's applicable to Piper PA-31-350 on EMB-820C aircraft that are listed by serial number on BI 800-000-0003 dated 14/09/89 with an associated PA-31-350 kit serial number	28/05/2020	20/ACM/118
GA8 Series	SA00344BO	FAA	Installation of LED landing and taxi lights applicable to GA8 models listed on the FAA STC AML	5/9/2018	19/ACM/15
GA8 Series	1-SA02571SE 2-SA02018SE-D 3-SA02658SE 4-SA02019SE-D 5-SA01714WI	FAA	Installation of: 1-Garmin G500/G600 TXi Integrated Avionics System 2-Garmin GA35 Antenna 3-Garmin GI 275 Multi-Function Display System 4-Garmin GTN 6XX/7XX and GTN Xi Series Navigation System 5-Garmin GTX transponder several models. Onto GA8 models listed on the FAA AML STCs	23/09/2021	22/21N/7
GA200 Series	SA593CH	FAA	Installation of Champion SlickSTART magneto booster system	10/09/2014	14/ACM/156
IAI Westwind 1124A	ST01855CH-D	FAA	Digital Electronic Engine Controls	1/10/2009	10/ACM/14

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
Kawasaki BK117	AC43-14	CAA	Use of AC43-14 for BK117 with 10 passenger seats.	20/5/2014	A-540-K01/1
	SR00631DE-D	FAA	Installation of AKV Inc. dual engine cycle counter BK1172XCC system	11/3/2014	14/ACM/102
	SVR509	CASA	AKV Dual Engine Cycle Counter	08/12/2014	DW1301744-0
	SR09034RC	FAA	Installation of a Concord lead acid battery	16/4/2019	19/ACM/62
	Airbus Helicopters Information Notice No. 3476-I-12	EASA (Airbus Helicopters)	Servicing – Disinfection of the Helicopter Interior and the External handles.	7/4/2020	20/ACM/116
	FAA STC SR03353NY FAA STC SR033784NY	FAA	The installation of Dart FAA STCs, SR03784NY Bubble Window Kit and SR03353NY Heli-Utility Basket on Kawasaki BK117 B-2 aircraft. The FAA STCs are only approved for the MBB-BK117 series rotorcraft, since the KHI type certificate is not type accepted by FAA.	25/2/2022	22/21N/17
Learjet 35A	SA1606CE	FAA	Hayes Towed Target System (Restricted category)	28/8/2003	4/ACM/10
	SA2018CE	FAA	Marquart Towed Target System (Restricted category)	28/8/2003	4/ACM/10

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
Leonardo AB139/AW139	SR02473AK	FAA	Installation of the L-3 Communications NGT-9000R/RD and NGT-9000/D ADS-B In/Out system.	30/6/2021	21/21N/19
	STC 10046758	EASA	Installation of the L-3 Communications NGT-9000R/RD and NGT-9000/D ADS-B In/Out system.	30/6/2021	21/21N/19
Leonardo S.P.A A119, AW119 MKII, A109E, A109S, and AW109SP	SR02124SE	FAA	Installation of Garmin transponders: GTX 345/345R with ADS-B Out and In functionality; GTX 335/335R with ADSB Out functionality	03/03/2023	23/21N/13
Leonardo S.p.a AW169	Minor Change Approval 10081822	EASA	Replacement of Polycon 004RLI Wireless ICS extension (LH configuration item p/n 6F2350F00111) with Polycon PNG Wireless ICS extension	15/04/2025	5355
Maule MXT-7-180 & -180A MX-7-180A & -180B	STC 10028096	EASA	Installation of 2-blade propeller	12/11/2020	21/21N/6
MDHI 369 series	ERR-064 R0	Transport Canada	MRB Void repairs	7/6/2013	13/ACM/85
	ERR-084 R0	Transport Canada	TRB Void repairs, LE replacement	7/6/2013	13/ACM/85
Mitsubishi MU-2B-30	SA01933LA-D	FAA	Garmin 400W/500W series	13/11/2016	16/ACM/35
Morane-Saulnier Rallye 235E	SA00861SE	FAA	Installation of J.P. Instruments fuel Flow indicating System	22/10/2020	21/ACM/40
	STC 10051937	EASA			

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
	SA00432SE	FAA	Installation of Fuel Flow Transducer for use with JPI EGT-701 or FS-450		
	STC 10052045	EASA			
	SA01899WI	FAA	Installation of Garmin G3X Touch Electronic Flight Instrument System		
	STC 10073816	EASA			
	SA01818WI	FAA	Installation of Garmin G5 Electronic Flight Instrument (certified)		
	STC 10060846	EASA			
	SA02636SE	FAA	Installation of Garmin GPS 175, GNX 375, GNC 355 Navigation Systems		
	STC 10071756	EASA			
Pacific Aerospace Ltd 750XL	EASA.A.S.03481	EASA	MT 4-bladed Propeller	8/8/2008	9/ACM/11
	SA10822SC	FAA	Aspen Avionics electronic flight displays	21/3/2014	A-540-P10
	Type Certificate	FAA	All FAA STC's	28/6/2016	16/ACM/105
Pilatus PC-6	IM23-SF-0127	EASA (DGAC)	Replacement Engine	22/7/2011	12/ACM/3
	STC 10031167	EASA	MT 4-blader Propeller	29/11/2013	14/ACM/74
Pilatus PC-12 Series	Type Acceptance	FAA, EASA	All FAA STC's & all EASA STC's issued since Nov 2003	20/9/2013	13/21B/28
Piper PA-28 Series	STC 10014364 (EASA.A.S.01632)	EASA	Replacement Engine (Thielert)	28/9/2006	7/ACM/12
	EASA HL/MOD/1358	EASA	Gama Aviation Installation of Nav/Comm system Garmin GNC 255(x) / GTR 225(x) products	26/05/2017	17/ACM/117

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
P & WC PT6A-20, -20A, -20B	SE00003EN	FAA	MORE Maintenance Program	4/4/1996	96/MOD/273
P & WC PT6A-34, -34AG, -34B, -114, -114A, -116, -135, -135A	SE00002EN	FAA	MORE Maintenance Program	9/6/2015	15/AC/62
P & WC PT6A-11, -11AG, -15AG, -110, -112	SE00004EN	FAA	MORE Maintenance Program	9/6/2015	15/AC/62
P & WC PT6A-21, 27, -28,	SE000EN	FAA	MORE Maintenance Program	21/7/2015	16/ACM/3
P & WC PT6A-38, -41, -42, -42A	SE00001EN	FAA	MORE Maintenance Program	21/7/2015	16/ACM/5
Reims F406	SA01933LA-D	FAA	Installation of Garmin 400W series only	22/04/2016	16/ACM/53
	SA01714WI	FAA	Installation of Garmin GTX330 or GTX335 Series with ADS-B Out functionality	22/04/2016	16/ACM/53
	SA02018SE-D	FAA	Installation of Garmin GPS/XM antennas	22/04/2016	16/ACM/53
Robin DR400/500	STC 10064473	EASA	Garmin G5 Installation	16/04/2021	21/21N/9
Robin R1000	STC 10064473	EASA	Garmin G5 Installation	22/02/2022	22/ACM/30
Saab 340B	ASA028ML	CASA	Installation of Bennetts seat converter stowage compartments.	9/10/2020	21/ACM/9
Saab 340B	ST01254AT	FAA	Relocation of the cargo bay bulkhead	19/10/2020	21/ACM/23

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
SOCATA TB10 & TB20	SA04181NY	FAA	Installation of the KFC 230 Aerocruze Automatic Flight Control System.	18/05/2020	20/ACM/122
	SA372CH	FAA	McCauley governor propeller	22/9/2014	15/MSCA/10
SOCATA TB10, TB20 & TB21	SA04182NY	FAA	Installation of Bendix King KA 310 Autopilot Adapter	23/07/2020	20/ACM/130
SOCATA TB Series	ALL FAA & EASA STC	FAA, EASA	EASA and FAA Supplemental Type Certificates, supplemental to Socata TB series aircraft on EASA TCDS EASA.A.378 or FAA TCDS A51EU	22/12/2023	24/21N/6
	SA02444AK	FAA	Installation of the L-3 Communications NGT 9000/9000R ADS-B system	22/06/2020	20/ACM/138
	SA01933LA-D	FAA	Installation of Garmin 400W/500W series navigation system	22/06/2020	20/ACM/139
	SA04568CH	FAA	Installation of uAvionics tailBeaconX, tail mounted position light with integrated ADS-B out and Mode-S transponder functionality.	11/07/2023	23/21N/20
	SA0041BO	FAA	Installation of the uAvionics AV-30-C Multi-mode Indicator. (provides control functions for the tailBeaconX)	11/07/23	23/21N/20
	SA2658SE	FAA	Installation of Garmin GI 275	25/09/2023	24/21N/3
	SA2636SE	FAA	Installation of Garmin GNC 355	25/09/2023	24/21N/3

List of technical data accepted by the Director under the provisions of CAR 21.503(a)

1. The data below has been deemed acceptable but the compatibility of each individual installation must be established.
2. Each individual installation must have the written permission of the approval holder.

Product Type	Data Reference	Approval Authority	Subject	CAA Acceptance Date	CAA Reference
Vulcanair P.68 series	All FAA & EASA STCs	FAA, EASA	All FAA & EASA STCs 21/ACM/6 rev 1 dated 10 May 2023 expanded acceptance to P.68 series. Initial issue applied to P.68B only	Init 13/08/2020 Rev 1 10/05/23	21/ACM/6
Vulcanair P.68C	SA02019SE-D	FAA	Installation of Garmin GTN 6xx/7xx Navigation System	17/05/2016	16/ACM/71
	SA00765DE	FAA	Installation of ADS-B Out functionality using the BendixKing KT 74 Mode S Transponder and qualified position sensor	17/05/2016	16/ACM/71
Vulcanair P.68 series	SA00343BO	FAA	Installation of a single or of a dual configuration Avidyne Corporation Integrated Flight Display Model IFD5xx and/or Model IFD 4xx, loaded with release 10.1 software (or later approved release).	15/01/2018	18/ACM/42
	STC 10058132	EASA	Installation of a single or of a dual configuration Avidyne Corporation Integrated Flight Display Model IFD5xx and/or Model IFD 4xx, loaded with release 10.2 software (or later approved release).	15/01/2018	18/ACM/42