

## NAVIGABLE AIRSPACE DETERMINATION: Fletcher Construction NZ & South Pacific Ltd- Mobile Crane at Grey Base Hospital Greymouth

<u>PURSUANT TO</u> Rule Part 77 of the Civil Aviation Rules I, Sean Turangarau Kere Rogers, Manager Aeronautical Services, having received from Fletcher Construction NZ & South Pacific Ltd, notification of intention to operate a 35 metre mobile crane at the Greymouth Hospital site adjacent to Greymouth aerodrome, conducted an aeronautical study in consultation with such persons, representatives and organisations as I considered appropriate.

After completing the aeronautical study, I am satisfied that the proposed action, if executed, would not constitute a hazard in navigable airspace.

## THEREFORE I HEREBY ISSUE a

## DETERMINATION OF NO HAZARD IN NAVIGABLE AIRSPACE

in respect of the above notification.

The following conditions are specific to this Determination:

Any future higher crane use at the site, that does not exceed an elevation of 49 metres AMSL, does not need to be advised to CAA, but it must comply with the conditions stated below.

The following conditions are specific to this Determination:

- The crane is to be equipped with a flashing red light located at the highest practical point of the crane in accordance with Civil Aviation Rule Part 77, Appendix A; and
- The light is to operate at all times that the crane is elevated above surrounding buildings or terrain; and
- The CAA is to be advised when the crane operations ceases at the end of the project.

This Determination of No Hazard shall become final on 24<sup>th</sup> day of April unless a petition for review is received by the Director prior to that date.

This Determination of No Hazard shall expire on 27<sup>th</sup> day of September 2018.

Dated at Wellington this 27th day of March 2017.

Sean Turangarau Kere Rogers Manager Aeronautical Services (DW1344105-0)